



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/821,296	04/08/2004	David L. Shannon	21790-07821	1121
758	7590	09/13/2006	EXAMINER	
FENWICK & WEST LLP SILICON VALLEY CENTER 801 CALIFORNIA STREET MOUNTAIN VIEW, CA 94041			LIEU, JULIE BICHNGOC	
		ART UNIT	PAPER NUMBER	
			2612	

DATE MAILED: 09/13/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

10/821,295



UNITED STATES DEPARTMENT OF COMMERCE
U.S. Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

8

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER

ART UNIT PAPER

20060909

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

See attachment

Julie Lieu
Primary Examiner
Art Unit: 2612

Response to Rule 312 Communication	Application No.	Applicant(s)	
	10/821,296	SHANNON ET AL.	
	Examiner Julie Lieu	Art Unit 2612	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

1. The amendment filed on 17 July 2006 under 37 CFR 1.312 has been considered, and has been:

- a) entered.
- b) entered as directed to matters of form not affecting the scope of the invention.
- c) disapproved because the amendment was filed after the payment of the issue fee.
Any amendment filed after the date the issue fee is paid must be accompanied by a petition under 37 CFR 1.313(c)(1) and the required fee to withdraw the application from issue.
- d) disapproved. See explanation below.
- e) entered in part. See explanation below.



Julie Lieu
Primary Examiner
Art Unit: 2612